

Amendments to the Claims

This listing will replace all prior versions and listings of claims in the application:

Listing of Claims

1. (Currently amended) A composition having a textured surface appearance, the composition comprising a volatile compound, wherein the composition is contained in a container which builds up pressure when sealed and releases pressure when opened, wherein the textured surface of the composition is disturbed after each use and wherein the volatile composition is present in an amount effective to renew the textured surface after the disturbed surface is maintained for a pre-determined period of time in the sealed container, wherein the composition has a viscosity from about 5,000 cps to about 500,000 cps, wherein the composition is an emulsion having an oil phase and a water phase, wherein the emulsion is a oil-in-water emulsion, wherein the emulsion has an emulsifier, wherein the volatile compound has a vapor pressure from about 20 mbar to about 500 mbar at 25 degrees C and a boiling point from about 45 degrees C to about 85 degrees C, wherein the volatile compound does not totally dissolve in either the oil phase or the water phase, wherein the volatile compound is selected from the group consisting of a ~~has one or more~~ perfluorobutyl ethers ether, a perfluoroalkylcycloalkane, and mixtures thereof, and wherein the composition is a cream.

2. (Cancelled)

3. (Cancelled)

4. (Original) The composition of claim 1, wherein the viscosity is from about 10,000 cps to about 200,000 cps.

5. (Original) The composition of claim 1, wherein the viscosity is from about 20,000 cps to about 100,000 cps.

6. (Original) The composition of claim 1, wherein the viscosity is from about 35,000 cps to about 75,000 cps.

7. (Previously presented) The composition of claim 1, wherein the container is a non-aerosol container having a removable and sealable cap effective to seal the composition against escape of pressure built up in the container during a period of about 2 hours to about 24 hours after each use.

8. (Cancelled)

9. (Cancelled)

10. (Original) The composition of claim 1, wherein the composition is selected from the group consisting of a facial cream, a body cream, a facial mask, and a cleansing cream.

11. (Cancelled)

12. (Currently amended) The composition of claim 1, wherein the volatile compound is ~~at least partially fluorinated~~ a perfluorobutyl ether.

13. (Currently amended) The composition of claim 1, wherein the volatile compound is a perfluorobutyl ether selected from the group consisting of methyl perfluorobutyl ether, ethyl perfluorobutyl ether, ~~or a mixture thereof~~, and mixtures thereof.

14. (Cancelled)

15. (Currently amended) The composition of claim 1, wherein the volatile compound ~~further has an ingredient~~ is a perfluoroalkylcycloalkane selected from the group consisting of perfluoromethylcyclohexane, perfluoromethylcyclopentane, perfluorodimethylcyclohexane, perfluorodimethylcyclopentane, and mixtures thereof.

16. (Currently amended) The composition of claim 15 ~~1~~, wherein the volatile compound is perfluoromethylcyclohexane.

Claims 17 to 19 (Cancelled)

20. (Currently amended) The composition of claim 1 ~~18~~, wherein the volatile compound has a vapor pressure from about 100 mbar to about 300 mbar at 25 degrees C.

21. (Cancelled)

22. (Currently amended) The composition of claim 1 ~~18~~, wherein the volatile compound has a boiling point from about 65 degrees C to about 85 degrees C.

23. (Original) The composition of claim 1, wherein the volatile compound is present in an amount from about 0.1 wt% to about 25 wt% by total weight of the composition.

24. (Original) The composition of claim 1, wherein said volatile compound is present in an amount from about 1 wt% to about 15 wt% by total weight of the composition.

25. (Original) The composition of claim 1, wherein the volatile compound is present in an amount from about 2.5 wt% to about 10 wt% by total weight of the composition.

26. (Currently amended) A cosmetic cream composition having a textured surface appearance in a container, the composition comprising about 0.1 wt% to about 25 wt% of a perfluorocarbon compound based on the total weight of the composition, wherein the perfluorocarbon compound has a vapor pressure from about 100 mbar to about 300 mbar at 25 degrees C, and a boiling point from about 45 degrees C to about 85 degrees C, wherein the composition has a viscosity from about 10,000 cps to about 200,000 cps, wherein the composition is an emulsion having an oil phase and a water phase, wherein the emulsion is a oil-in-water emulsion, wherein the emulsion has an emulsifier, wherein the volatile compound does not totally dissolve in either the oil phase or the water phase wherein the composition is a cosmetic cream, wherein the textured appearance of the composition is renewed during a pre-determined period of time after each use of the composition, ~~and wherein the perfluorocarbon compound has one or more~~ is a perfluorobutyl ether ethers, and wherein the composition is a cream.

27. (Currently amended) The composition of claim 26, wherein the composition ~~perfluorocarbon compound~~ further has perfluoromethylcyclohexane.

28. (Original) The composition of claim 26, wherein the perfluorocarbon compound is present in an amount from about 2.5 wt% to about 10 wt% by total weight of the composition.

29. (Previously presented) The composition of claim 26, wherein the container is a non-aerosol container having a

removable and sealable cap effective to seal the composition against escape of pressure built up in the container during a period of about 2 hours to about 24 hours after each use.

30. (Original) A method of treating skin comprising topically applying to the skin the composition of claim 1.

31. (Withdrawn) A process of imparting a self-renewed, original textured surface appearance to a composition after each use thereof, wherein the composition has a viscosity from about 5,000 cps to about 500,000 cps, the process comprising:

introducing into said composition at least one volatile compound having a vapor pressure from about 20 mbar to about 500 mbar at 25 degrees C, and a boiling point from about 45 degrees C to about 110 degrees C, in an amount effective for enabling such self-renewed appearance, and

packaging said composition in a non-aerosol container having a removably sealable cap effective to seal said composition against escape of pressure built up in the container during a pre-determined period of time after each use.

32. (Withdrawn) A method of imparting a self-renewed, original textured surface appearance to a composition after each use, the composition having at least one volatile compound with a vapor pressure from about 20 mbar to about 500 mbar at 25 degrees C and a boiling point from about 45 degrees C to about 110 degrees C, in an amount effective for enabling such self-renewed appearance, wherein the composition is packaged in a non-aerosol container having a removably sealable cap effective to seal the composition against escape of pressure, comprising

maintaining the composition in a capped state for a pre-determined period of time after each use to allow the composition to self-renew the original textured appearance.

33. (Withdrawn) A system comprising a container, a cap, and a composition, wherein the cap is sealable with and removable from the container, wherein the composition has a textured surface appearance and is situated within the container, wherein the composition has a volatile compound in an amount effective to renew the textured surface appearance after the surface has been disturbed and after the container has been sealed against escape of pressure by the cap, wherein the composition has viscosity from about 5,000 cps to about 500,000 cps, wherein the composition is an emulsion having an oil phase and a water phase, wherein the volatile compound has a vapor pressure from about 20 mbar to about 500 mbar at 25 degrees C and a boiling point from about 45 degrees C to about 110 degrees C, wherein the volatile compound does not totally dissolve in either the oil phase or the water phase.

34. (Withdrawn) A composition having a textured surface appearance, the composition comprising a volatile compound in an amount effective to renew the textured surface appearance after the surface has been disturbed and when the composition is present in a container that seals against escape of pressure from the container, wherein the composition has viscosity from about 5,000 cps to about 500,000 cps, wherein the composition is an aqueous emulsion, wherein the volatile compound is selected from the group consisting of perfluoromethylcyclohexane, perfluoromethylcyclopentane, perfluorodimethylcyclohexane, perfluorohexane, methyl perfluorobutyl ether, ethyl perfluorobutyl ether, perfluorodimethylcyclopentane, and mixtures thereof.

35. (Withdrawn) A method of renewing the surface appearance of a cream or pasty cosmetic composition after each use, comprising: providing a cream or pasty composition having a first textured surface appearance and a viscosity from about 5,000 cps to about 500,000 cps, providing a container for the composition, wherein the container has a cap that is removable from and sealable with the container, using one's fingers or other implement to remove at least part of the composition from the container during each use such that the first textured surface appearance of the composition is disturbed to create a disturbed surface appearance, sealing the container with the cap after each use and maintaining the composition having the disturbed surface appearance in the sealed container for a pre-determined period of time, incorporating into the composition a volatile compound in an amount effective to renew the surface appearance of the composition from such disturbed surface appearance to the first textured surface appearance after such pre-determined period of time, wherein upon removing the cap from the container after such pre-determined period of time, the composition has the first textured surface appearance again.